

# AMiS Light-Duty Medical Carts

## A Caregiver's Best Partner

- ✓ Ward
- ✓ ICU
- ✓ Emergency
- ✓ Operating Room
- ✓ Ultrasound
- ✓ Patient Monitoring
- ✓ Telehealth




## Mobile Care Light-Duty Solutions

**ADVANTECH**

*Enabling an Intelligent Planet*

intel  
partner Titanium  
IoT  
Solutions

[www.advantech.com](http://www.advantech.com)



270°  
Screen Swivel

### Fully Adjustable Monitor Mount

The VESA bracket supports 270° swivel, 360° rotation, and -15° to 90° tilt. It meets all users' viewing angles.

# A Caregiver's Best Partner

AMiS-30E series light-duty and cost-effective medical cart is aimed to enhance safety and mitigate nurse fatigue in healthcare

### Large Work Surface

Ample work surface space allows for greater utility.



## Battery-Powered Motor Lift Cart

### AMiS-30EM Motor Cart

With electric height adjustment, AMiS-30EM allows caregivers to perform professional duties with comfortable ergonomics.


## Go Green

Light-duty, less packaging,  
low power consumption.



### Electric Height Adjustment

One-button height adjustment.









## Fixed-Height Medical Cart

### AMiS-30EP Pole Cart

Adaptable for different medical devices, AMiS-30EP can be a caregiver's best partner for medical mobility.



#### Cable Management

The cables of monitors or devices can pass through the inner pole for infection control.



#### Gas Spring Lever

The front-end gas spring lever is easy to press for users standing in front of the cart.

## Manually Height-Adjustable Cart

### AMiS-30EG Gas Spring Cart

Designed to accommodate a battery-powered all-in-one computer, and the height can be pneumatically adjusted.

# S

A  
AFE




# A

G  
ILE



### Medical-Grade Compliance

IEC 60601-1 standards ensure the safety of AMiS-30EM.




### Light-Duty

The weight of each AMiS-30E base cart is less than 35 kg.




### Drip-Proof (IPX1-Certified)

AMiS-30E series devices are protected from drips, leaks, and spills.




### Large Caster Design

Easy to push and pull with the 125 mm casters.



### Tidy Cable Management

The tidy cable management provides a clean and safe work environment.



### Front and Rear Handles

Two-position front and rear handles for easy maneuvering.





# FLEXIBLE




# ERGONOMIC




## Easily Mountable Accessories

There are flexible mounting options for accessories including the basket, keyboard tray, mouse and barcode scanner holder, drawer, trash can, and box PC bracket, to support different applications.




## Easy Height Adjustment

Electric or manual height adjustment.




## Scalable Battery System (AMiS-30EM)

Easy and cost-effective replacement.



## Fully Adjustable Monitor Mount

The VESA bracket supports screen swivel, rotation, and tilt.




## Accommodates Different Peripherals with Customized Brackets

Power-equipped carts are available to accommodate peripherals such as printers, barcode scanners, ECGs, etc.



## User-Friendly Gas Spring Lever (AMiS-30EG)

The front-end lever makes it easy for users to adjust the workstation height.



# Configuration Selection

## AMIS-30E Series Base Carts












|                              | AMIS-30EM Motor Cart   | AMIS-30EG Gas Spring Cart   | AMIS-30EP Pole Cart                                      |  |
|------------------------------|--|---|--|--|
| <b>Part Number</b>           | AMIS-30E-1M2N3NEXC (2 Batteries)<br>AMIS-30E-1M2Q3NEXC (3 Batteries) | AMIS-30E-1G2Z3NE (w/o Battery)  | AMIS-30E-1P1-Z3NE (w/o Battery)                          |  |
| <b>Base Cart</b>             | Surface  | 490 x 470 mm  | 490 x 470 mm   | Not included   |
|                              | Footprint  | 512 x 482 mm  | 512 x 482 mm   | 512 x 482 mm   |
|                              | Work Surface Height Range  | 904 ~ 1204 mm   | 868 ~ 1168 mm  | 1424 mm  |
|                              | Casters  | 125 x 125 mm  | 125 x 125 mm   | 125 x 125 mm   |
|                              | Weight   | 35 kg   | 27 kg  | 15 kg  |
|                              | Display Holder   | Standard VESA Mount (VESA 75/75; VESA 100/100); Weight Capacity: Max. 12 kg |  |  |
|                              | Lifting  | Electric Lifting (Motor)  | Manual Lifting (Gas Spring)                              | Not included   |
|                              | Battery Capacity (Wh)  | Standard: 2 Packs (180 Wh)<br>Optional: 3 Packs (270 Wh)                    | Optional: 2 Packs (180 Wh)<br>Optional: 3 Packs (270 Wh) | Optional: 2 Packs (180 Wh)<br>Optional: 3 Packs (270 Wh) |
|                              | Runtime (hrs) at 30W Avg Use   | 2 Packs: 6 hrs<br>3 Packs: 9 hrs  | 2 Packs: 6 hrs<br>3 Packs: 9 hrs                         | 2 Packs: 6 hrs<br>3 Packs: 9 hrs                         |
|                              | <b>Accessories</b>   | Storage Basket (AMIS-60-BK-00-AE)   | <input type="radio"/>                                    | <input type="radio"/>                                    |
| Keyboard Tray                |  | <input checked="" type="radio"/>  | <input checked="" type="radio"/>                         | <input type="radio"/>                                    |
| Mouse Holder                 |  | <input type="radio"/><br>(AMIS-50-MH-00-AE)                                 | <input type="radio"/><br>(AMIS-50-MH-00-AE)              | <input type="radio"/><br>(AMIS-30E-MB-00-AE)             |
| Barcode Scanner Holder       |  | <input type="radio"/><br>(AMIS-30E-BS-00-AE)                                | <input type="radio"/><br>(AMIS-30E-BS-00-AE)             | <input type="radio"/>                                    |
| Drawer                       |  | <input type="radio"/><br>(1U/2U/4U)   | <input type="radio"/><br>(1U/2U/4U)                      | Not included   |
| Trash Can (AMIS-50-TC-30-AE) |  | <input type="radio"/>   | <input type="radio"/>                                    | <input type="radio"/>                                    |
| Box PC Bracket               |  | <input type="radio"/>   | <input type="radio"/>                                    | <input type="radio"/>                                    |

● Standard configuration    ○ Optional configuration

## Optional Devices



|                        | AMIS-30EM Motor Cart  | AMIS-30EG Gas Spring Cart  | AMIS-30EP Pole Cart   |
|------------------------|---|--|---|
| <b>All-in-One</b>      |  For Clinical Care<br>POC-421<br>POC-424                           |  For Critical Care<br>POC-615<br>POC-621<br>POC-624 |   |
| <b>Box PC</b>          |  USM-100   |  USM-500L   |  USM-500 |
| <b>Medical Display</b> |  For Clinical Review<br>PAX-121 (F/M Model)<br>PAX-124 (F/M Model) |  For OR / Surgical Use<br>PAX-324<br>PAX-327        |   |
| <b>Battery</b>         |  iPS-M270S   |  iPS-M420S<br>(Only for AMIS-30EP)                  |   |

# ADVANTECH

Enabling an Intelligent Planet

www.advantech.com

Please verify specifications before ordering. This guide is intended for reference purposes only. All product specifications are subject to change without notice. No part of this publication may be reproduced in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission of the publisher. All brand and product names are trademarks or registered trademarks of their respective companies. © Advantech Co., Ltd. 2023



Product Page